

Zoznam štúdií a odborných textov ku problematike pretrvávania a integrácie primitívnych reflexov

Leisman, G., & Melillo, R. (2025). Evaluating primitive reflexes in early childhood as a potential biomarker for developmental disabilities. *Journal of Paediatrics and Child Health*. <https://doi.org/10.1111/jpc.70053>

Vlădăreanu, L., Iliescu, M. G., Andronache, I. T., & Dantes, E. (2025). Persistence of Primitive Reflexes as Possible Predictive Factors for Progression, Prevention, and Early Rehabilitation Intervention in Idiopathic Scoliosis. *Medicina*, 61(3), 427. <https://doi.org/10.3390/medicina61030427>

Altunkalem Seydi, K., Kaya, D., Yavuz I., Ontan, M. S. , Dost, F. S. and Isik, A. T. (2024), "Primitive Reflexes and Dementia in Older Adults: A Meta-Analysis of Observational and Cohort Studies," *Psychogeriatrics* 24, no. 3: 688–700.

Stephens- Sarlós, E., E. Toth, F. Ihász, Z. Alföldi, A. Somogyi, and A. Szabo, (2024) "Changes in Primitive Reflexes in Older Adults and Their Relationship to Mental Health Indices: An Experimental Investigation," *Experimental Gerontology* 196: 112583.

McWhirter, D., Williams, S., & Tran, C. (2024). The impact of persistent primitive reflexes on motor and cognitive development in preschool children. *Neurodevelopmental Research*, 45(2), 144-157. <https://doi.org/10.1016/j.neurosci.2024.02.009>

Domingo-Sanz, V. A. (2024). Inhibition of primitive reflexes and its relationship with visual projection in children and adolescents. *Optometry & Visual Performance*, 10(4), 183–197. <https://doi.org/10.5114/optometry.2024.131789>

McWhirter, K., A. Steel, and J. Adams, (2024): "The Association Between Learning Disorders, Motor Function, and Primitive Reflexes in Pre-School Children: A Systematic Review," *Journal of Child Health Care* 28, no. 2 402–428.

S. G. Blythe, (2023): "Are Immature Neuromotor Skills Significant Factors In Educational Under- Achievement and Special Educational Needs? Literature Review of the Role of Primitive Reflexes as Indicators and Measures of Neuromotor Immaturity," *Special School* 84, no. 2 111–123.

Domingo-Sanz, V. A. (2023). Primitive reflexes beyond neonatal paediatrics: Primitive reflexes and the visual system. *Archives of Medical Science – Civilization Diseases*, 8(1), 28–30. <https://doi.org/10.5114/amscd.2023.131891>

Grigg TM, Culpan I, Turnbull WF. 2023. Primitive Reflex Integration and Reading Achievement in the Classroom. *J Neurol Exp Neurosci* 9(1): 18-26.

Nowak-Wróblewska, K. (2023). Does the Integration of Primary Reflex Schemas According to Masgutova's Neurosensorimotor Reflex Integration Improve Functioning and Quality of Life Among Children with Spectrum of Foetal Disorders?, *Medical Rehabilitation*, Vol. 27, No.: 2, 37-48,

Wang, M., J. Yu, H. D. Kim, and A. B. Cruz. (2023): "Attention Deficit Hyperactivity Disorder Is Associated With (a) Symmetric Tonic Neck Primitive Reflexes: A Systematic Review and Meta- Analysis," *Frontiers in Psychiatry* 14 1175974.

J. M. Martello. (2023): "Persistent Primitive Reflex and Developmental Delay in the School- Aged Child," *Journal for Nurse Practitioners* 19, no. 10 104767.

R. Melillo, G. Leisman, C. Machado, et al., (2023) "The Relationship Between Retained Primitive Reflexes and Hemispheric Connectivity in Autism Spectrum Disorders," *Brain Sciences* 13, no. 8, 1147.

Melillo, G. Leisman, C. Machado, et al., (2022). "Retained Primitive Reflexes and Potential for Intervention in Autistic Spectrum Disorders," *Frontiers in Neurology* 13): 922322.

Mironova Tabachová, J., & Vitásková, K. (2022). Benefits of neurodevelopmental stimulation for children with developmental language disorder. *ICERI2022 Proceedings*, 8236–8244.

Domingo-Sanz, V. A. (2022). Inhibition of primitive reflexes and its relationship with visual projection in children and adolescents. *Optometry & Visual Performance*, 10(4), 183–197.

Gieysztor, M. Kowal, and M. Paprocka- Borowicz, (2022): "Primitive Reflex Factors Influence Walking Gait in Young Children: An Observational Study," *International Journal of Environmental Research and Public Health* 19, no. 7 4070.

Melillo, R., Leisman, G., & Guarnera, M. (2022). Primitive reflexes and their relation to brain connectivity in children with autism and ADHD. *Journal of Developmental Neuroscience*, 13(8), 1147–1156. <https://doi.org/10.3389/fnins.2022.967567>

Melillo, R., Leisman, G., & Guarnera, M. (2022). Primitive reflexes in children with autism: Implications for motor problems and hemispheric connectivity. *Frontiers in Psychology*, 10, 2345–2358. <https://doi.org/10.3389/fpsyg.2022.852623>

Goddard Blythe, S., Duncombe, R., Preedy, P., & Gorely, T. (2021). Neuromotor readiness for school: The primitive reflex status of young children at the start and end of their first year at school in the United Kingdom. *Education 3–13*, 50(5), 654–667. <https://doi.org/10.1080/03004279.2021.1895276>

Feldhacker, D. R., Cosgrove, R., Feiten, B., Schmidt, K., & Stewart, M. (2021). The Correlation between Retained Primitive Reflexes and Scholastic Performance among Early Elementary Students. *Journal of Occupational Therapy, Schools, & Early Intervention*, 15(3), 288–301. <https://doi.org/10.1080/19411243.2021.1959482>

Sigafoos, J., L. Roche, M. F. O'Reilly, and G. E. Lancioni, (2021) "Persistence of Primitive Reflexes in Developmental Disorders," *Current Developmental Disorders Reports* 8, 98–105

Hickey, J., & Feldhacker, D. R. (2021). Primitive reflex retention and attention among preschool children. *Journal of Occupational Therapy, Schools, & Early Intervention*, 15(1), 1–13. <https://doi.org/10.1080/19411243.2021.1910606>

Matuszkiewicz, M., & Galkowski, T. (2021). Developmental language disorder and uninhibited primitive reflexes in young children. *Journal of Speech, Language, and Hearing Research*, 64(1), 1–14. https://doi.org/10.1044/2020_JSLHR-19-00423

Novak, K. Sobaniec, W., Akhmatova, N., Shackleford, P. (2020). Evaluation of the Therapeutic Effect of MNRI Reflex Neuromodulation on Children Diagnosed with Autism Based on Reflex Assessments, QEEG Analysis and ATEC Questionnaire, *Journal of Neurology and Neurobiology*, ISSN 2379-7150, Vol. 6, Issue 2

Masgutova S, Koberda JL, Shackleford P, Nowak K, Akhmatova N, et al. (2020) Effect of the MNRI Reflex Neuromodulation on the QEEG and Neurotransmitters of Children Diagnosed With Cerebral Palsy. *J Neurol Neurobiol* 6(3): [dx.doi.org/10.16966/2379-7150.170](https://doi.org/10.16966/2379-7150.170)

Pecuch, A., Gieysztor, E., Telenga, M., Wolańska, E., Kowal, M., & Paprocka-Borowicz, M. (2020). Primitive reflex activity in relation to the sensory profile in healthy preschool children. *International Journal of Environmental Research and Public Health*, 17(21), 8210. <https://doi.org/10.3390/ijerph17218210>

Tatarinova TV, Deiss T, Franckle L, Beaven S, Davis J. (2020) The Impact of MNRI Therapy on the Levels of Neurotransmitters Associated with Inflammatory Processes. *Int J Mol Sci*. 2020 Feb 18;21(4):1358. doi: 10.3390/ijms21041358. PMID: 32085403; PMCID: PMC7072967.

Melillo R, Leisman G, Mualem R, Ornai A, Carmeli E. Persistent Childhood Primitive Reflex Reduction Effects on Cognitive, Sensorimotor, and Academic Performance in

ADHD. Front Public Health. 2020 Nov 17;8:431835. doi: 10.3389/fpubh.2020.431835. PMID: 33282806; PMCID: PMC7706103.

Deiss, T. , Meyers, R. , Whitney, J. , Bell, C. , Tatarinova, T. , Franckle, L. and Beaven, S. (2019) Physiological Markers and Reflex Pattern Progression in Individuals with Neurodevelopmental Deficits Utilizing the MNRI Method. *Neuroscience and Medicine*, 10, 30-54. doi: [10.4236/nm.2019.101003](https://doi.org/10.4236/nm.2019.101003).

Bell, C. , Whitney, J. , Deiss, T. , Tatarinova, T. , Franckle, L. , Beaven, S. and Davis, J. (2019) The Effect of the MNRI Method on Neurotransmitter Biomarkers of Individuals with Neurodevelopmental Disorders. *Neuroscience and Medicine*, 10, 292-321. doi: [10.4236/nm.2019.103022](https://doi.org/10.4236/nm.2019.103022).

Andrich, P., Shihada, M. B., Vinci, M. K., Wrenhaven, S. L., & Goodman, G. G. (2018). Statistical relationships between visual skill deficits and retained primitive reflexes in children. *Optometry & Visual Performance*, 6(3), 106–111.

E. Z. Gieysztor, A. Choińska, and M. Paprocka- Borowicz, (2018) “Persistence of Primitive Reflexes and Associated Motor Problems in Healthy Preschool Children,” *Archives of Medical Science* 14, no. 1, 167–173.

Chinello, A., V. Di Gangi, and E. Valenza, (2018) “Persistent PRs Affect Motor Acts: Potential Implications for Autism Spectrum Disorder,” *Research in Developmental Disabilities* 83: 287–295.

Masgutova, S., Masgutov, D., Lieske, T. (2018). Effects of MNRI Visual Reflex Neuro-Training on Visual and Academic Skills of Children with Autism, *International Journal of School and Cognitive Psychology*, Vol 5., Issue 3 DOI: 10.4172/2469-9837.1000213

Citation Grzywniak, C. (2017). INTEGRATION EXERCISE PROGRAMME FOR CHILDREN WITH LEARNING DIFFICULTIES WHO HAVE PRESERVED VESTIGIAL PRIMITIVE REFLEXES. *Acta Neuropsychologica*, 15(3), 241-256. <https://doi.org/10.5604/01.3001.0010.5491>.

Masgutova SK, Akhmatova NK, Sadowska L, Shackleford P, Akhmatov EA (2016) Neurosensorimotor Reflex Integration for Autism: a New Therapy Modality Paradigm. *J Pediatr Neurol Disord* 2: 107. doi: 10.4172/2572-5203.1000107

Akhmatova N, Akhmatova E (2017) Influence of MNRI on the Immune Status of Children with Down Syndrome. *J Clin Cell Immunol* 7: 483. doi: 10.4172/2155-9899.1000483

Renard-Fontaine I (2017) Effect of Reflex Neuromodulation on an Infant with Severe Amniotic Band Syndrome: A Case Report on the use of MNRI Techniques for Physical Therapy. *Int J Neurorehabilitation* 4: 248. doi: 10.4172/2376-0281.1000248

Nowak K., Sendrowski K. Neurophysiological Aspects of NeuroTactile Therapy of Masgutova Neurosensory Motor Reflex Integration MNRI® Method. *Med Rehabil* 2017; 21(1): 20-30. DOI: 10.5604/01.3001.0009.5483

Shackleford P, Roy V, Cameron A, Ortego L, Marks T, et al. (2017) Flood Trauma Survival and Recovery Using MNRI Reflex NeuroIntegration Therapy. *Int J Phys Med Rehabil* 5: 439. doi:10.4172/2329-9096.1000439

Volemanová, M., & Květoňová, L. (2017). Links between specific language impairment, motor development and literacy acquisition in children. *Gramotnost, pregramotnost a vzdělávání*, 3, 13–21.

https://pages.pedf.cuni.cz/gramotnost/files/2018/12/Gramotnost_03_FINAL.pdf

Chandler, L. S., Terhorst, L., Rogers, J. C., & Holm, M. B. (2016). Movement Assessment of Children (MAC): Validity, reliability, stability and sensitivity to change in typically developing children. *Child: Care, Health and Development*, 42(4), 513–520. <https://doi.org/10.1111/cch.12348>

Masgutova S, Sadowska L, Kowalewska J, et al. Use of a Neurosensorimotor Reflex Integration Program to Improve Reflex Patterns of Children with Down Syndrome. *J Neurol Neurosci*. 2016, 6:4.

Masgutova S, Akhmatova N, Sadowska L, Shackleford P, Akhmatov E. Progress with Neurosensorimotor Reflex Integration for Children with Autism Spectrum Disorder. *J Neurol Psychol*. 2016; 4(2): 14

Gieysztor, E., Choińska, A., & Paprocka-Borowicz, M. (2016). Persistence of primitive reflexes and associated motor problems in healthy preschool children. *Archives of Medical Science*, 14(1), 167–173. <https://doi.org/10.5114/aoms.2016.60503>

Gieysztor, E., Sadowska, L., Choińska, A., & Paprocka-Borowicz, M. (2016). Trunk rotation due to persistence of primitive reflexes in early school-age children. *Advances in Clinical and Experimental Medicine*, 27(3), 363–366. <https://doi.org/10.17219/acem/67458>

Masgutova, S. (2016) Post-Trauma Recovery in Children of Newton, CT using MNRI Reflex Integration. *J Trauma Stress Disor Treat* 5:5. doi: 10.4172/2324-8947.1000163

Batra, V., Batra, M., Pandey, R. M., Sharma, V. P., & Agarwal, G. G. (2015). Modulating tone to promote motor development using a neurofacilitation of developmental reaction (NFDR) approach in children with neurodevelopmental delay. *Malaysian Journal of Medical Sciences*, 22(5), 50–56.

Masgutova S, Akhmatova N, Ludwika S (2016) Reflex Profile of Children with Down Syndrome Improvement of Neurosensorimotor Development Using the MNRI® Reflex Integration Program. *Int J Neurorehabilitation* 3: 197. doi:10.4172/2376-0281.1000197

Koberda JL, Akhmatova N, Akhmatova E, Bienkiewicz A, Nowak K, et al. (2016) Masgutova Neurosensorimotor Reflex Integration (MNRI) Neuromodulation Technique induces Positive Brain Maps (QEEG) Changes. *J Neurol Neurobiol* 2(4): doi <http://dx.doi.org/10.16966/2379-7150.130>

Akhmatova NK, Masgutova S, Sorokina E, Akhmatov EA and Lebedinskaya OV (2015). Influence of Neuro-Sensory-Motor Reflex Integration Technique on Immune Response of Patients with Herpes-Associated Multiforme Erythema. *Front. Immunol. Conference Abstract: IMMUNOCOLOMBIA2015 - 11th Congress of the Latin American Association of Immunology - 10o. Congreso de la Asociación Colombiana de Alergia, Asma e Inmunología*

Akhmatova NK, Masgutova SK, Shubina IZ, Akhmatov EA, Khomenkov VV, et al. (2015) Immunological Effects of Masgutova Neurosensorimotor Reflex Integration in Children with Recurrent Obstructive Bronchitis. *Int J Neurorehabilitation* 2: 166. doi:10.4172/2376-0281.1000166

Matias-Guiu, J. A., Cabrera-Martín, M. N., Fernández-Matarrubia, M., Moreno-Ramos, T., Valles-Salgado, M., Porta-Etessam, J., & Matias-Guiu, J. (2015). Topography of primitive reflexes in dementia: An F-18 fluorodeoxyglucose positron emission tomography study. *European Journal of Neurology*, 22(8), 1201–1207. <https://doi.org/10.1111/ene.12726>

Hobo, K., Kawase, J., Tamura, F., Groher, M., Kikutani, T., & Sunakawa, H. (2014). Effects of the reappearance of primitive reflexes on eating function and prognosis. *Geriatrics & Gerontology International*, 14(1), 190–191. <https://doi.org/10.1111/ggi.12078>

Konicarova, J., Bob, P., & Raboch, J. (2014). Balance deficits and ADHD symptoms in medication-naïve school-aged boys. *Neuropsychiatric Disease and Treatment*, 10, 85–88. <https://doi.org/10.2147/NDT.S56017>

McPhillips, M., Finlay, J., Bejerot, S., & Hanley, M. (2014). Motor deficits in children with autism spectrum disorder: A cross-syndrome study. *Autism Research*, 7, 664–676. <https://doi.org/10.1002/aur.1408>

Livingstone, N., & McPhillips, M. (2014). Primary reflex persistence in children with partial hearing. *Developmental Neuropsychology*, 39(3), 233–247. <https://doi.org/10.1080/87565641.2013.874427>

M. R. Fiorentino, (2014). *Normal and Abnormal Development: The Influence of Primitive Reflexes on Motor Development* (Charles C Thomas Publisher,).

Bruijn, S., Massaad, F., MacLellan, M., Van Gestel, L., Ivanenko, Y., & Duysens, J. (2013). Are effects of the symmetric and asymmetric tonic neck reflexes still visible in healthy adults? *Neuroscience Letters*, 556, 89–92. <https://doi.org/10.1016/j.neulet.2013.10.028>

Masgutova SK, Akhmatova NK and Lebedinskaya OV (2013). Clinical-immunological assessment of therapy effect of the neuro-sensory-motor integration program of reflex patterns in airway chronic inflammatory diseases. *Front. Immunol. Conference Abstract: 15th International Congress of Immunology (ICI)*. doi: 10.3389/conf.fimmu.2013.02.00865

Konicarova, J., & Bob, P. (2013). Asymmetric tonic neck reflex and symptoms of attention deficit and hyperactivity disorder in children. *The International Journal of Neuroscience*, 123(11), 766–769. <https://doi.org/10.3109/00207454.2013.801471>

Konicarova, J., & Bob, P. (2013). Principle of dissolution and primitive reflexes in ADHD. *Activitas Nervosa Superior*, 55(1–2), 74–78.

Konicarova, J., Bob, P., & Raboch, J. (2013). Persisting primitive reflexes in medication-naïve girls with attention-deficit and hyperactivity disorder. *Neuropsychiatric Disease and Treatment*, 9, 1457–1461.

Desorbay, T. (2013). A neuro-developmental approach to specific learning difficulties. *International Journal of Nutrition, Pharmacology, Neurological Diseases*, 3(1), 1–2. <https://doi.org/10.4103/2231-0738.106970>

Jaafari, N., De La Cruz, L. F., Grau, M., Knowles, E., Radua, J., Wooderson, S., & Mataix-Cols, D. (2013). Neurological soft signs in obsessive-compulsive disorder: Two empirical studies and meta-analysis. *Psychological Medicine*, 43(5), 1069–1077. <https://doi.org/10.1017/S0033291712002012>

Blythe, P., & Blythe, S. G. (2012). Viewpoint: Correcting clinical facts—Abnormal primitive reflexes in behavioural optometry and vision therapy. *Journal of Behavioral Optometry*, 23(5–6), 138–142.

Callcott, D. (2012). “Retained PRs in Preprimary- Aged Indigenous Children: The Effect on Movement Ability and School Readiness,” *Australasian Journal of Early Childhood* 37, no. 2, 132–140.

Konicarova, J., & Bob, P. (2012). Retained primitive reflexes and ADHD in children. *Activitas Nervosa Superior*, 54(3–4), 135–138.

Pilecki W, Masgutova S, Kowalewska J, Masgutov D, Akhmatova N, Poreba M, Sobieszczańska M, Koleda P, Pilecka A, Kałka D. The impact of rehabilitation carried out using the Masgutova Neurosensorimotor Reflex Integration method in children with cerebral palsy on the results of brain stem auditory potential examinations. *Adv Clin Exp Med*. 2012 May-Jun;21(3):363-71. PMID: 23214200.

Brown, C. G. (2010). Improving fine motor skills in young children: An intervention study. *Educational Psychology in Practice*, 26(3), 269–278.
<https://doi.org/10.1080/02667363.2010.495213>

Shaheen, H. A. (2010) “Reversing Letters, Asymmetric Tonic Neck, Neck Retraction Reflexes and Apraxia Are Predictive of Dyslexia,” *Egyptian Journal of Neurology, Psychiatry and Neurosurgery* 47, no. 1, 453–459.

González, S. R., Ciuffreda, K. J., Hernández, L. C., & Escalante, J. B. (2008). The correlation between primitive reflexes and saccadic eye movements in 5th grade children with teacher-reported reading problems. *Optometry & Vision Development*, 39(3), 140–145

Bloomfield, F. H., Shuan, D., Perry, D., & Aftimos, S. (2008). Isolated absence of the Moro reflex in a baby with CHARGE syndrome could reflect vestibular abnormalities. *Journal of Child Neurology*, 23(5), 561–563.
<https://doi.org/10.1177/0883073807309779>

Diehl-Schmid, J., Schülte-Overberg, J., Hartmann, J., Förstl, H., Kurz, A., & Häussermann, P. (2007). Extrapyrarnidal signs, primitive reflexes and incontinence in frontotemporal dementia. *European Journal of Neurology*, 14(8), 860–864.

McPhillips, M., & Jordan-Black, J. (2007a). Primary reflex persistence in children with reading difficulties (dyslexia): A cross-sectional study. *Neuropsychologia*, 45, 748–754. <https://doi.org/10.1016/j.neuropsychologia.2006.08.005>

McPhillips, M., & Jordan-Black, J. (2007b). The effect of social disadvantage on motor development in young children: A comparative study. *Journal of Child Psychology and Psychiatry*, 48(12), 1214–1222. <https://doi.org/10.1111/j.1469-7610.2007.01814.x>

Berne, S. A. (2006). The primitive reflexes: Considerations in the infant. *Optometry & Vision Development*, 37(3), 139–145.

Borroni, B., Broli, M., Costanzi, C., Gipponi, S., Gilberti, N., Agosti, C., & Padovani, A. (2006). Primitive reflex evaluation in the clinical assessment of extrapyramidal syndromes. *European Journal of Neurology*, 13(9), 1026–1028.

Goddard Blythe, S. (2005). Releasing educational potential through movement: A summary of individual studies carried out using the INPP Test Battery and Developmental Exercise Programme for use in schools with children with special needs. *Child Care in Practice*, 11, 415–432.
<https://doi.org/10.1080/13575270500340234>

Jordan-Black, J. (2005). The effects of the Primary Movement Programme on the academic performance of children attending ordinary primary school. *Journal of Research in Special Educational Needs*, 5(3), 101–111.

Damasceno, A., A. M. Delicio, D. F. Mazo, et al., (2005). “Primitive Reflexes and Cognitive Function,” *Arquivos de Neuro- Psiquiatria* 63, 577–582.

Wahlberg, T., & Ireland, D. (2005). Can replicating primary reflex movements improve reading ability? *Optometry & Vision Development*, 36(2), 89–91.

McPhillips, M., & Sheehy, N. (2004). Prevalence of persistent primary reflexes and motor problems in children with reading difficulties. *Dyslexia*, 10(4), 316–338.
<https://doi.org/10.1002/dys.282>

Taylor, M., Houghton, S., & Chapman, E. (2004). Primitive reflexes and attention-deficit/hyperactivity disorder: Developmental origins of classroom dysfunction. *International Journal of Special Education*, 19(1), 23–37.

Teitelbaum, P. , O. B. Teitelbaum, J. Fryman, and R. Maurer, (2002). “Infantile Reflexes Gone Astray in Autism,” *Journal of Developmental and Learning Disorders* 6: 15–22.

McPhillips, M., Hepper, P. G., & Mulhern, G. (2000). Effects of replicating primary-reflex movements on specific reading difficulties in children: A randomised, double-blind, controlled trial. *The Lancet*, 355(9203), 537.

Blythe, S. G. (2000). Early learning in the balance: Priming the first ABC. *Support for Learning*, 15(4), 154.

Volpe, G., Della Rocca, G., Brescia Morra, V., Belfiore, G., Coppola, G., Campanella, G., & Orefice, G. (2000). Effect of diabetes on some primitive reflexes. *European Journal of Neurology*, 7(4), 401–404.

Goddard, S. (1995). The role of primitive survival reflexes in the development of the visual system. *Journal of Behavioral Optometry*, 6, 31–33.

Bakchine, S., L. Lacomblez, E. Palisson, M. Laurent, and C. Derouesne, (1989). "Relationship Between Primitive Reflexes, Extra- Pyramidal Signs, Reflective Apraxia and Severity of Cognitive Impairment in Dementia of the Alzheimer Type," *Acta Neurologica Scandinavica* 79, no. 1: 38–46.

Brown, D. L. , T. L. Smith, and L. E. Knepper, (1998). "Evaluation of Five Primitive Reflexes in 240 Young Adults," *Neurology* 51, no. 1, 322.